

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot

CONSTRUCTION DOCUMENTS 100% SUBMITTAL- FOR BID	06/13/2012
CONSTRUCTION DOCUMENTS 100% SUBMITTAL	06/22/2011
CONSTRUCTION DOCUMENTS 95% SUBMITTAL	02/01/2011
DESIGN DEVELOPMENT 50% SUBMITTAL	06/21/2010
SCHEMATIC DESIGN 15% SUBMITTAL	05/03/2010
Revisions:	Date


CONSULTANTS:

MEP
DAVID WRIGHT
CCRD PARTNERS
3311 W. BROAD ST.
RICHMOND, VA 23230
(804) 355-2067

STRUCTURAL
JOHN HANCOCK
STROUD-PENCE & ASSOC.
4198 COX RD., SUITE #110
GLEN ALLEN, VA 23060
(804) 346-3935

LIFE SAFETY
FERNANDO ESCALANTE
RHINO FIRE PROT. ENG. PLC
12359 SUNRISE VALLEY DR.
SUITE #350
RESTON, VA 20191
(703) 476-5034

SEAL:





ARCHITECT/ENGINEERS:

CORNER
STO
23 West Broad St., Suite 200
Richmond, Virginia 23220
Telephone: 804.353.0511
Facsimile: 804.353.1442
Webpage: www.csarch.com
ARCHITECTS

CA PROJECT 00938.02


Drawing Title
INTERIOR ELEVATIONS - PATIENT ROOM E
Approved: Project Director

Project Title VA MEDICAL CENTER 4E PATIENT WARD EXPANSION			Project Number 688-336		Office of Facilities Management
			Building Number E		
Location WASHINGTON DC			Drawing Number A-213		
Date 04/20/2010	Checked RKM	Drawn CMH/ LRC/ ANP/ ERQ/ EAR			
					Department of Veterans Affairs




19 PAT. ROOM [E] FINISH PLAN

SCALE: 1/4" = 1'-0"



17 PAT. ROOM [E] RCP


SCALE: 1/4" = 1'-0"



16 PAT. ROOM [E] FLOOR PLAN


SCALE: 1/4" = 1'-0"

FOR ROOM TYPE "E" TYPICAL BATHROOM ELEVATIONS SEE TYPE
"A" TYPICALS ON SHEET 212.




10 4E-164 PT. RM. [E] West

SCALE: 3/8" = 1'-0"




9 4E-164 PT. RM. [E] South

SCALE: 3/8" = 1'-0"



7 4E-164 PT. RM. [E] North

SCALE: 3/8" = 1'-0"



6 4E-164 PT. RM. [E] East

SCALE: 3/8" = 1'-0"

PLAN GENERAL NOTES

1. ALL PARTITIONS THAT MEET EXTERIOR WALLS @ WINDOWS ARE TO BE CENTERED ON WINDOW MULLIONS UNO.
2. NOT USED.
3. FURNITURE AND EQUIPMENT MAY BE SHOWN FOR COORDINATION PURPOSES ONLY AND IS LABELED N/C. SEE EQUIPMENT/FURNITURE PLAN.
4. ALL BATHROOM FIXTURES ARE TO BE INSTALLED TO MEET OR EXCEED MINIMUM STANDARDS, AND TO BE PROVIDED WITH COMPLIANT ACCESSORIES AT APPROPRIATE MOUNTING HEIGHTS PER CODES CITED ON COVER SHEET.
5. PROVIDE ALL BLOCKING FOR UPPER AND LOWER CABINETS, ACCESSORIES, WHICH INCLUDE BUT ARE NOT LIMITED TO: HAND GUARD RAIL, CRASH RAIL, GRAB BARS, AND TELEVISIONS.
6. MINIMUM SPACE REQUIREMENTS PROVIDED FOR ENCLOSED PLUMBING FIXTURE SUPPORTS. SEE DIMENSION PLAN.
7. LAMINATE INTERIOR OF EXTERIOR WALLS WITH NEW 5/8" GWB.
8. SEE ROOM FINISH SCHEDULE FOR ALL ROOM ACCESSORIES.
9. ALL EXISTING EXPOSED STEEL COLUMNS TO HAVE SPRAY-APPLIED FIREPROOFING TO ACHIEVE 2-HR FIRE RATED, ALL EXISTING, EXTERIOR WALL AND NEW TUBE STL. COLUMNS TO BE ENCLOSED WITH GWB TO ACHIEVE 2-HR FIRE RATINGS OR RECEIVE SPRAY-ON FIREPROOFING-SEE DETAILS.
10. ALL NON-ISOLATED WORK ON FLOORS OTHER THAN FOURTH FLOOR TO BE COMPLETED AFTER BUSINESS HOURS AND/OR ESTABLISHED BY VA CONTR.
11. ALL SLAB PENETRATIONS MUST BE X-RAYED FOR EXISTING REINFORCEMENT IDENTIFICATION PRIOR TO CORE DRILL AND REVIEWED BY STRUCTURAL ENGINEER.
12. ALL SECTION/PLAN DETAILS MARKED AND LOCATED IN TYPICAL PATIENT ROOMS - TYPES "A", "B", "C", "D", AND "E" ARE STANDARD FOR ALL PATIENT ROOM TYPES.
13. ROOM SIGNAGE IS REQUIRED AT EACH ROOM PER SPECIFICATIONS. INCLUDE GINGKO DESIGN SHOWN IN DETAIL XX SHEET A-XXX. PROVIDE SUBMITTAL FOR REVIEW.

PLAN SYMBOL LEGEND

- ✓ COAT HOOK - SEE FINISH LEGEND
- ⊙ FLOOR DRAIN - CENTER IN ROOM U.N.O./ SEE PLUMBING
- ┐ CORNER GUARD - WP3 IN 4E WING, WP6 IN ELEVATOR 4A-001, C4A-001 AND C4A-002
- └ CORNER GUARD - WP7 IN 4E WING.
- HAND/ CRASH RAIL, CONTINUOUS, AS SHOWN IN PLAN & ELEV./ FINISH LEGEND. WP1/2 IN 4E WING, WP3/4 IN ELEVATOR 4A-001, C4A-001 AND C4A-002
- FIRE EXTINGUISHER CABINET - FULLY RECESSED
- WALL TYPE
- XX DOOR TAG - SEE DOOR SCHEDULE
- XX WINDOW TAG
- CEILING MOUNTED PRIVACY CURTAIN PER FINISH SPECIFICATIONS
- NC NURSE CALL - PULL STATIONS IN TOILET AND WASH ROOMS, CALL BOXES AT PATIENT HEADWALLS, INDICATOR LIGHTS ABOVE DOORS, AND CONTROL STATIONS AT NURSES STATIONS. ALSO SEE ELECTRICAL. PROVIDE RAULAND RESPONDER 5 SYSTEM- HOSPITAL STANDARD- SEE SPECIFICATION.

ENLARGED PLAN KEY NOTES

1. 12" EDUCATION LCD TV BY PDI - HOSPITAL STANDARD/ REINFORCING PLATE (PDI-255E) + WALL BRACKET (PDI-179CP) + SWING ARM (PDI-508-12-20) MANUFACTURED BY PDIARM.COM
2. "10" 30" PLASMA SCREEN W/ MOUNTING BRACKET AND REINFORCING PLATE
3. PATIENT ROOM SIGN- RECESSED LED BACKLIT ACRYLIC/ LOW VOLTAGE HARDWIRED/ TYPICAL ALL PAT. ROOMS/ SEE INTERIOR DETAIL 06A-208
4. RECESSED DIALYSIS BOX/ SEE PLUMBING
5. MOTORIZED SHADE BY LUTRON (TYP. ALL PATIENT ROOM WINDOWS)- SEE ELECTRICAL
6. PERSONAL PROTECTION DISPENSING UNIT BY SAGE PRODUCTS INC. (SAGEPRODUCTS.COM) WALL MOUNTED ITEM #8565